

# CONDAMINE-MARANOA BASIN EVALUATION OF RESOURCES SOUTHERN QUEENSLAND

# GENERAL REFERENCE MAP


SCALE 1:2500000




UNIVERSE TRANSVERSE MERCATOR PROJECTION 100 000 metre Australian Map Grid, Zones 55 & 56 (Grid values are shown in full at the south west corner of the map.)

> CONTOUR INTERVAL 1,000 FEET (305 METRES) Vertical Datum : Mean Sea Level

> > CARTOGRAPHY BY A.L. CHANDICA








KEY TO 1 : 250 000 AREAS

ADAVALE AUGA- EDDY- TAROOM MUN- MARY- WIDE BA

OMPINEWYANDRAHOMEBOIN SURATE EDALBY IPSWICH

MOREE INVERELL GRAFTON MACLEAN

QUILPIE CHARLE- MITCHELL ROMA CHIN-




COMPILED by E.J. Weston (Agriculture Branch), C.N. Nason (Economic Services Branch) and R.D.H. Armstrong (Sheep and Wool Branch), Queensland Department of Primary Industries, Brisbane.


PREPARED by the Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.

CARTOGRAPHIC BASE compiled from the Brisbane — Charleville — Bourke — Armidale 1 : 1 000 000 International Map of the World using selected topographic information plotted onto the Australian Map Grid.

COLOUR SEPARATION for Hypsometric Tints by the Lithographic Section, Survey Office, Department of Lands, Brisbane.







#### QUEENSLAND

DEPARTMENT OF PRIMARY INDUSTRIES

# CONDAMINE-MARANOA BASIN EVALUATION OF RESOURCES SOUTHERN QUEENSLAND

# SOIL, VEGETATION and LAND USE STUDIES

#### LEGEND

 Studies specific to the Condamine - Maranoa basin or adjacent areas.

Blake (1938)

Everist (1949)

These are not shown on the map.

Allen and Skerman (1952)

Beckmann and Thompson (1960)

Dawson (1972a)

Dawson (1972b)

Galloway <u>et al</u>. (1974)

Holland and Moore(1962)

Isbell (1957)

S[kerman] and A [len] (1952)

Speck <u>et al.</u>(1968)

2 2 (2007)

Story, Galloway and Fitzpatrick (1967)

Thompson and Beckmann (1959)

Turner, Boyland and Dawson (in preparation 1974)

Vandersee (1972)

van Dijk (in preparation 1974)

Wills (in preparation 1974)

Isbell (1962)
Isbell et al. (1967)
McTaggart (1936)
Moore and Perry (1970)
Northcote (1966)
Northcote and Skene (1972)
Plumb (ed.) (1966)
Prescott (1931)

Prescott (1944)

Skerman (1959)

Skerman (1970)

Stephens (1961)

Williams (1959)

 Studies covering more generalised areas but containing information relevant to the Condamine — Maranoa basin.

COMPILED by E.J. Weston (Agriculture Branch), C.N. Nason (Economic Services Branch) and R.D.H. Armstrong (Sheep and Wool Branch), Queensland Department of Primary Industries, Brisbane.

PREPARED by the Division of Land Utilisation, Queensland Department of Primary Industries, Bris-

CARTOGRAPHIC BASE compiled from the Brisbane — Charleville — Bourke — Armidale 1 : 1 000 000 International Map of the World using selected topographic Information plotted onto the Australian Map Grid.





UNIVERSE TRANSVERSE MERCATOR PROJECTION 100 000 metre Australian Map Grid, Zones 55 & 56 (Grid values are shown in full at the south west corner of the map)

#### CARTOGRAPHY BY A.L. CHANDICA





#### LEGEND

Highway; Principal town	
Main road; Town	
Secondary road; Minor town or settlement	
Railway	
River or stream	
Dam; Weir; Lake	5-5
Local authority boundary within evaluation area; outside evaluation area	
Eastern limit of evaluation areaState boundary	DESCRIPTION ASSOCIATION ASSOCIATION
	A Section

D	AVALE	AUGA- THELLA	EDDY- STONE	TAROOM	MUN- DUBBERA	MARY-2 BOROUGH	WIDE	BAY
QU	ILPIE	CHARLE- VILLE	MITCHELL	ROMA	CHIN- CHILLA	GYMPIE		
oc	MPINE	WYANDRA	HOMEBOIN	SURATUS	EDALBY	IPSWICH	BRISB	ANE
E	ULO	CUNNA- MULLA	DIRRAN- BANDI	ST. GEORGE	GOONDI- WINDI	WARWICK	TWE	
	NTA- JLLA	ENNGONIA	ANGLE- DOL	MOREE	INVERELL	GRAFTON	MACL	EAN


NOTE. The grid reference obtained for any point on this map can be used to locate that same point on any other map of this area showing the Australian Map Grid e.g. topographic maps (metric) recently published by Division of National Mapping, Canberra or Survey Office, Department of Lands, Brisbane.






# CONDAMINE-MARANOA BASIN EVALUATION OF RESOURCES SOUTHERN QUEENSLAND CLIMATIC FEATURES

#### LEGEND





Wind Roses at 9 a.m. local mean time show monthly frequency distribution of wind directions to eight points of the




The sides of the octagons face towards the cardinal and semi-cardinal points. Twelve columns representing months of the year project from each side and their lengths are proportional to the percentage frequencies of the winds from the given direction in successive months, working clockwise from January to December. Columns representing winds of equal frequency (i.e. 12½%) from the eight directions would all be enclosed within the outer octagon. The percentage frequency of calms in each of the twelve months is shown within the inner octagon. Wind Roses are based on data collected over

# SOIL/WATER RELATIONS

These figures show the accumulation of mean soil moisture in comparison with rainfall and evaporation. The scale of the graph of mean available soil moisture is shown on the right hand side of each figure. The upper histogram represents rainfall and the lower one evaporation. All moisture units are mm. The figures were constructed from data derived from a water balance model which, when applied to daily rainfall records for the period 1937 to 1968, determined mean soil moisture content at five day intervals. The equation assumes two moisture stores, one above and one below wilting point. The total soil moisture capacity is divided between these two stores on a 60/40 basis, which is consistent with a clay or clay-loam soil type. Only store one, that above wilting point, is depicted here.


NOTE: Information presented on this map was obtained from the following sources: Summer and winter isohyets and wind roses — developed from Bureau of Meteorology, Brisbane (unpublished); annual isohyets — compiled for period 1920—1969 by the Queensland Irrigation and Water Supply Commission; rainfall variability — Dick (1958); average annual thunderdays — Bureau of Meteorology (1967); radiation — Bureau of Meteorology (1964); soil/water relations: water balance model — Russell (pers. comm.), rainfall — Bureau of Meteorology (1966) evaporation — Bureau of Meteorology, 1966) evaporation — Bureau of Meteorology, Brisbane (unpublished),

#### RAINFALL VARIABILITY



Relative variability of annual rainfall (mean deviation expressed as a percentage of average annual rainfall)

#### THUNDERDAYS



RADIATION



Average monthly total radiation at the surface in Cal.cm<sup>-2</sup>day<sup>-1</sup> for January and July.

COMPILED by E.J. Weston (Agriculture Branch), C.N. Nason (Economic Services Branch) and R.D.H. Armstrong (Sheep and Wool Branch), Queensland Department of Primary Industries, Brisbane.

PREPARED by the Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.

CARTOGRAPHIC BASE compiled from the Brisbane — Charleville — Bourke — Armidale 1 : 1 000 000 International Map of the World using selected topographic information plotted onto the Australian Map Grid.

COLOUR SEPARATION of Annual Rainfall Zones by the Lithographic Section, Survey Office, Department of Lands. Brisbane.

PRINTED by S.G. Reid, Government Printer, Brisbane, SEPTEMBER 1974



MAP 3



#### UNIVERSE TRANSVERSE MERCATOR PROJECTION

100 000 metre Australian Map Grid, Zones 55 & 56
(Grid values are shown in full at the south west corner of the map.)

#### CARTOGRAPHY BY A.L. CHANDICA

#### LOCATION MAP




#### LEGEND


Highway; Principal town	
Main road; Town	
Secondary road; Minor town or settlement_	
Railway	
River or stream	
Dam; Weir; Lake	D+5>
Local authority boundary within evaluation area; outside evaluation area	Mill mass
Eastern limit of evaluation area State boundary	

KEY TO 1: 250 000 AREAS

AD	AVALE	AUGA- THELLA	EDDY- STONE	TAROOM	MUN- DUBBERA	MARY-2 BOROUGH	WIDE	BAY
QL	ILPIE	CHARLE- VILLE	MITCHELL	ROMA	CHIN-	GYMPIE		
тос	MPINE	WYANDRA	HOMEBOIN	Zone SS	EDALBY	IPSWICH	BRISB/	ANE
E	ULO	CUNNA- MULLA	DIRRAN- BANDI	ST. GEORGE	GOONDI- WINDI	WARWICK	TWEE	
	NTA-	ENNGONIA	ANGLE- DOL	MOREE	INVERELL	GRAFTON	MACLE	AN

NOTE. The grid reference obtained for any point on
this map can be used to locate that same point on any
other map of this area showing the Australian Map Grid
e.g. topographic maps (metric) recently published by
Division of National Mapping, Canberra or Survey
Office Department of Lands Brishane





#### QUEENSLAND

DEPARTMENT OF PRIMARY INDUSTRIES

## CONDAMINE-MARANOA BASIN EVALUATION OF RESOURCES SOUTHERN QUEENSLAND

## SOIL ASSOCIATIONS

#### LEGEND - DOMINANT SOILS

#### I. SOILS WITH UNIFORM TEXTURE PROFILES (U)

SAND SOILS OF MINIMAL DEVELOPMENT (Uc1) B 10, 12 Siliceous Sands (Ucl.2)

SAND SOILS WITH WEAK HORIZON FORMATION (Uc5) AB 2 Sands with an earthy fabric ("Uc 5.2)

LOAMY SOILS OF MINIMAL DEVELOPMENT (Um1)
Fz 1-3, 7 Coherent and shallow loamy soils (Um1.4)

LOAMY SOILS HAVING AN A2 HORIZON (Um4) Porous peds evident in B horizon (Um4.3)

THE CRACKING CLAYS (Ug5) Grey, self-mulching (Ug5.2) CC 17, 19, 20Deep (Ug5.24 and .25) Brown, self-mulching (Ug5.3) MM 1-2, 4 Various (Ug5.32, .33, .34, and .37)

#### II. SOILS WITH GRADATIONAL TEXTURE PROFILES (G)

RED EARTHS (Gn2.1)

(No A<sub>2</sub> horizon present) My 1-5 Neutral reaction trend (Gn2.12)

GREY EARTHS (Gn2.8)

Mq 1-2 Alkaline reaction trend (Gn2.83)

#### III. SOILS WITH CONTRASTING (DUPLEX) TEXTURE PROFILES (D)

HARD SETTING LOAMY SOILS WITH RED CLAYEY (Alkaline reaction trend-whole coloured subsoils)

Sporadically bleached  $A_2$  horizon : pedal subsoils (Dr2.33)

#### HARD SETTING LOAMY SOILS WITH BROWN CLAYEY SUBSOILS (Db1)

(Neutral reaction trend) Sporadically bleached A<sub>2</sub> horizon (Db1.32) (Alkaline reaction trend-whole coloured subsoils)

Ro 3-4 Sporadically bleached A2 horizon (Db1.33)

#### FRIABLE LOAMY SOILS WITH BROWN CLAYEY SUBSOIL'S (Db3)

(Neutral reaction trend) Sporadically bleached A<sub>2</sub> horizon (Db3.32)

#### HARD SETTING LOAMY SOILS WITH YELLOW CLAYEY

(Alkaline reaction trend) Sporadically bleached A<sub>2</sub> horizon (Dy2.33) Bleached A<sub>2</sub> horizon (Dy2.43)

HARD SETTING LOAMY SOILS WITH MOTTLED YELLOW CLAYEY SUBSOILS (Dy3) (Alkaline reaction trend)
Va 24, 28 Bleached A<sub>2</sub> horizon (Dy3.43)

SANDY SOILS WITH MOTTLED YELLOW CLAYEY SUBSOILS (Dy5) (Acid reaction trend)

Wa 13, 15 Bleached A<sub>2</sub> horizon: pedal subsoils

HARD SETTING LOAMY SOILS WITH DARK CLAYEY SUBSOILS (Dd1) (Alkaline reaction trend)

Sporadically bleached A2 horizon (Dd1.33)

#### IMPORTANT NOTES

- 1. This map is extracted from the Atlas of Australian Soils; Sheet 3 (Northcote 1966) and Sheet 4 (Isbell <u>et al</u>.1967).
- 2. Mapping units are ASSOCIATIONS OF SOILS and are delineated by landscapes; the unit boundaries have been reproduced directly, although the colour scheme has been modified.
- 3. Only the dominant soils are set out in Legend No. 1 of the Atlas of Australian Soils, the relevant parts of which are reproduced here. Explanatory data for Sheets 3 and 4 are contained in separate booklets as Legend No. 2.
- 4. The text of the C.O.M.B.E.R. report contains
- 5. The key notation for soil groups such as (Ug 5.25),(Gn 2.12) etc. comes from "A Factual Key for the Recognition of Australian Soils" (Northcote
- 6. Data for this map are classified as order 3 or better according to the scale of Reliability of Source published on Sheets 3 and 4 of the Atlas of Australian


COMPILED by E.J. Weston (Agriculture Branch), C.N. Nason (Economic Services Branch) and R.D.H. Armstrong (Sheep and Wool Branch), Queensland Department of Primary Industries. Brisbane.

PREPARED by the Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.

CARTOGRAPHIC BASE compiled from the Brisbane — Charleville — Bourke — Armidale 1 : 1 000 000 Inter-national Map of the World using selected topographic information plotted onto the Australian Map Grid.

COLOUR SEPARATION of Dominant Soils by the Lithographic Section, Survey Office, Department of Lands, Brisbane.





#### UNIVERSE TRANSVERSE MERCATOR PROJECTION

50 000 metre Australian Map Grid, Zones 55 & 56 (Grid values are shown in full at the south west corner of the map.)

#### CARTOGRAPHY BY A.L. CHANDICA




#### LEGEND


LLULIAD	
Highway, Principal Town-	
Main road; Town	
Secondary road; Minor town or settlement-	
Railway	<del></del>
River or stream	
Dam; Lake	
Local authority boundary	
Limit of evaluation area	
State boundary	

KEY TO 1: 250 000 AREAS

ADAVALE	AUGA- THELLA	EDDY- STONE	TAROOM	MUN- DUBBERA	MARY-SWIDE BAY
QUILPIE	CHARLE- VILLE	MITCHELL	ROMA	CHIN-	GYMPIE
TOOMPINE	WYANDRA	HOMEBOIN	SURATE	Zone 56 Agrada 56	IPSWICH BRISBANE
EULO	CUNNA- MULLA	DIRRAN- BANDI	ST. GEORGE	GOONDI- WINDI	WARWICK TWEED HEADS
YANTA- BULLA	ENNGONIA	ANGLE- DOL	MOREE	INVERELL	GRAFTON MACLEAN

NOTE. The grid reference obtained for any point on this map can be used to locate that same point on any other map of this area showing the Australian Map Grid e.g. Topographic maps (metric) recently published by Division of National Mapping, Canberra or Survey Office, Department of Lands, Brisbane.





### CONDAMINE-MARANOA BASIN EVALUATION OF RESOURCES SOUTHERN QUEENSLAND

# **COMPOSITE of VEGETATION**

#### LEGEND - VEGETATION

This information was extracted from the Land Systems map of "Lands of the Balonne - Maranoa Area, Queensland'. (Galloway et al. in press

LAND

#### PROMINENT VEGETATION

1,2,4,5,8,

- 9,10. Not represented in Condamine-Maranoa Region
- Cypress pine open forest
- Open woodland of mountain coolibah and grassland
- Grassland.
- Narrow-leaved ironbark with shrubs
- Bendee forest
- Woodland of poplar box, ironbark and mulga with Queensland peppermint
- Mulga open forest
- Poplar box woodland with mulga
- Poplar box woodland usually with few shrubs
- Silver-leaved ironbark and poplar box woodland
- Bull oak and poplar box woodland
- Yapunyah woodland
- Poplar box and brigalow woodland
- Belah or brigalow open forest
- Woodland of poplar box, ironbark and apple with cypress
- Woodland of poplar box, ironbark and tumbledown gum with
- Mulga open forest with emergent eucalypts
- Brigalow, poplar box and mulga woodland
- Belah or brigalow open forest
- Gidgee open forest
- Silver-leaved ironbark or poplar box woodland with cypress pine
- Poplar box woodland with mulga
- Poplar box wood and with some belah
- Coolibah open woodland and grassland
- Black box open woodland and grassland.
- 33 Coolibah open woodland with flood-tolerant shrubs

This information was extracted from the Vegetation of Australia map of 'Australian Grasslands'. (Moore and Perry, 1970)

- 2d Brigalow forests
- 3b Semi-arid shrub woodlands









- a) The vegetation boundaries were derived from the publications shown in the legend and have been revised to conform with a mapping scale of 1:1 250 000. Symbols and colour schemes have been modified.
- b) Where detailed descriptions of vegetation overlap, preference has been given to the most recent pub-

This information was extracted from the Soil Association map of 'The Soils of the Inglewood — Talwood — Tara — Glenmorgan Region'.

#### VEGETATION

- Woodland with poplar box and silver-leaved ironbark
- Coolibah and myall parkland with extensive curly Mitchell and blue grass areas
- Parkland with blue grass and scattered poplar box, silverleaved ironbark and coolibah
- Dense forest of brigalow with belah, wilga and sandalwood
- Dense forest of belah with lesser wilga, brigalow and
- sandalwood
- Woodland of poplar box and sandalwood with some wilga
- Woodland of sandalwood and poplar box with some belah, wilga, and limebush Woodland of silver-leaved and narrow-leaved ironbark and
- Cypress pine forest, usually with much bull oak and lesser rusty gum and narrow-leaved ironbark
- Woodland of silver-leaved ironbark, poplar box and cypress
- Bull oak forest with cypress pine, poplar box and narrowleaved ironbark often prominent
- Open forest of narrow-leaved ironbark, mallee and poplar hox with bull oak often prominent
- Tea-tree-spinifex community with stunted sandalwood, bull oak and mallee box
- Open forest of silver and narrow-leaved ironbark, poplar box and ironwood. Occasionally wattle.
- Open forest of tumbledown gum, cypress pine, narrowleaved and silver-leaved ironbark

This information was extracted from the Vegetation map of 'Land Inventory and Technical Guide, Miles Area, Queensland'. (Dawson

#### IMPORTANT VEGETATION COMMUNITIES

- Ironbark bull oak cypress pine layered open forest
- Ironbark wattle lavered open forest
- Poplar box layered and shrubby woodlands
- Angophora cypress pine poplar box Queensland blue gum - tumbledown gum woodland

COMPILED by E.J. Weston (Agriculture Branch), C.N. Nason (Economic Services Branch) and R.D.H. Armstrong (Sheep and Wool Branch), Queensland Department of Primary Industries, Brisbane.

PREPARED by the Division of Land Utilisation, Queensland Department of Primary Industries, Bris-

CARTOGRAPHIC BASE compiled from the Brisbane — Charleville — Bourke — Armidale 1 : 1 000 000 International Map of the World using selected topographic information plotted onto the Australian Map Grid.

COLOUR SEPARATION of Structural Forms by the Lithographic Section, Survey Office, Department of Lands, Brisbane.

PRINTED by S.G. Reid, Government Printer, Brisbane. SEPTEMBER 1974



MAP 5



#### UNIVERSE TRANSVERSE MERCATOR PROJECTION

50 000 metre Australian Map Grid, Zones 55 & 56 (Grid values are shown in full at the south west corner of the map.)

#### CARTOGRAPHY BY A.L. CHANDICA





### LEGEND

lighway; Principal Town————	
fain road; Town	
econdary road; Minor town or settlement-	
Railway	
River or stream	
am; Lake	D 5
ocal authority boundary	
imit of evaluation area	
tate boundary	

ADAVALE	AUGA- THELLA	EDDY- STONE	TAROOM	MUN- DUBBERA	MARY-3 BOROUGH	WIDE BAY
QUILPIE	CHARLE- VILLE	MITCHELL	ROMA	CHIN-	GYMPIE	
TOOMPINE	WYANDRA	HOMEBOIN	SURATE	Zone 56 Agrada 56	IPSWICH	BRISBANE
EULO	CUNNA- MULLA	DIRRAN- BANDI	ST. GEORGE	GOONDI- WINDI	WARWICK	TWEED
YANTA- BULLA	ENNGONIA	ANGLE- DOL	MOREE	INVERELL	GRAFTON	MACLEAN

NOTE. The grid reference obtained for any point on this map can be used to locate that same point on any other map of this area showing the Australian Map Grid e.g. topographic maps (metric) recently published by Division of National Mapping, Canberra or Survey Office, Department of Lands, Brisbane.





# CONDAMINE-MARANOA BASIN EVALUATION OF RESOURCES SOUTHERN QUEENSLAND

# **SERVICES and FACILITIES**

#### LEGEND - SERVICES & FACILITIES

*	Shire centre	Tara
*	Police station	PS
*	Magistrate's court	CPS
*	Post office (official)	PO
*	Cotton gin	. 8
*	Wheat silo	0
*	Timber mill	4
	Dip (clearing and border)	
	Meatworks (licensed export)	*
	Livestock selling yards	#
	D.P.I. office (1-4 officers)	ø
	D.P.I. office (5-11 officers)	д
	D.P.I. office (12+ officers)	举
	D.P.I. research facility	•
	Relevant C.S.I.R.O. research facility	
*	University of Queensland research facility	
	Representative basin site.	₩.
	Radio transmitter	<b>₹4AK</b>
	Television transmitter/translator	₹ ABDQ3
	Microwave repeator	
	Broadband microwave system	mmmmmm
	Television link	m mi mi mi
	Major border crossing	<b>⊠</b> Goond
*	Aerodrome	•
	Air route	
*	Oil field (producing)	A
	Gas field (connected to a pipeline)	A
	Oil or gas pipeline	
*	Recreational facility	4

 These services and facilities are shown for the Condamine— Maranoa basin evaluation area only. NOTE: Information presented on this map was obtained from the following sources:— Queensland Department of Primary Industries (dips, meat works, livestock selling yards, Queensland Department of Primary Industries offices and research facilities and major border crossings), Australian Postmaster-General's Department (official post offices, radio transmitters, television transmitters and translators, microwave repeaters, the broad band microwave system and television links), Australian Department of Transport, Air Transport Group (Berodromes and air routes), C.S.I.R.O. (relevant research facilities), Queensland Department of Mines (producing oil fields, connected gas fields and oil and gas pipelines), Irrigation and Water Supply Commission (representative basin sites), Queensland Department of Justice (Magistrate's courts), Queensland Department of Forestry (timber mills) and State Wheat Board (wheat silos).

COMPILED by E.J. Weston (Agriculture Branch), C.N. Nason (Economic Services Branch) and R.D.H. Armstrong (Sheep and Wool Branch), Queensland Department of Primary Industries Prispage

PREPARED by the Division of Land Utilisation, Queensland Department of Primary Industries, Bris-

CARTOGRAPHIC BASE compiled from the Brisbane — Charleville — Bourke — Armidale 1 : 1,000,000 International Map of the World using selected topographic information plotted onto the Australian Map Grid.



SCALE 1:2500000



UNIVERSE TRANSVERSE MERCATOR PROJECTION 100 000 metre Australian Map Grid, Zones 55 & 56 (Grid values are shown in full at the south west corner of the map.)

#### CARTOGRAPHY BY A.L. CHANDICA





#### LEGEND

Highway; Principal town	
Main road; Town	
Secondary road; Minor town or settlement_	
Railway	<del></del>
River or stream	
Dam; Weir; Lake	5
Local authority boundary within evaluation area; outside evaluation area	
Eastern limit of evaluation area State boundary	

AD	VALE	AUGA- THELLA	EDDY- STONE	TAROOM	MUN- DUBBERA	MARY-2 BOROUGH	WIDE B	A
QU	ILPIE	CHARLE- VILLE	MITCHELL	ROMA	CHIN-	GYMPIE		
тос	MPINE	WYANDRA	HOMEBOIN		Zone 56 ATRADA S	IPSWICH	BRISBA	N
E	ULO	CUNNA- MULLA	DIRRAN- BANDI	ST. GEORGE	GOONDI- WINDI	WARWICK	TWEEL	
	NTA-	ENNGONIA	ANGLE- DOL	MOREE	INVERELL	GRAFTON	MACLE	41

NOTE. The grid reference obtained for any point on
this map can be used to locate that same point on any
other map of this area showing the Australian Map Grid
e.g. topographic maps (metric) recently published by
Division of National Mapping, Canberra or Survey
Office, Department of Lands, Brisbane.






#### QUEENSLAND


DEPARTMENT OF PRIMARY INDUSTRIES


# CONDAMINE-MARANOA BASIN EVALUATION OF RESOURCES SOUTHERN QUEENSLAND

# **MISCELLANEOUS INFORMATION**



# EXPLANATORY DIAGRAM (Total Shire Area) LAND USE (3 year average 1967/68 to 1969/70) PASTURE LANDS Introduced Native UNUSED LANDS Unleased State Forests, town areas, roads, etc. On holdings





Pigs (symbol represents 1 000)\_\_\_\_

NOTE: Information presented on this map was obtained from the following sources:— The Australian Bureau of Statistics (population, crop, pasture and pig statistics), Atlas of Australian Resources of the Geographic Section of the Department of National Development, now Department of Minerals and Energy (sheep and cattle statistics), and the Queensland Department of Forestry (State Forest and National Park areas).


COMPILED by E.J. Weston (Agriculture Branch), C.N. Nason (Economic Services Branch) and R.D.H. Armstrong (Sheep and Wool Branch), Queensland Department of Primary Industries, Brisbane.

PREPARED by the Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.

CARTOGRAPHIC BASE compiled from the Brisbane — Charleville — Bourke — Armidale 1 : 1 000 000 International Map of the World using selected topographic information plotted onto the Australian Map Grid,







#### UNIVERSE TRANSVERSE MERCATOR PROJECTION

.50 000 metre Australian Map Grid, Zones 55 & 56 (Grid values are shown in full at the south west corner of the map.)

#### CARTOGRAPHY BY A.L. CHANDICA

# QUEENSLAND

N.S.W.

LOCATION MAP

#### LEGEND

lighway; Principal Town————	
Main road; Town	
Secondary road; Minor town or settlement-	
Railway	
River or stream	
Dam; Lake	5
ocal authority boundary	
imit of evaluation area	
tate boundary	

ADAVALE	AUGA- THELLA	EDDY- STONE	TAROOM	MUN- DUBBERA	MARY-SWIDE BAY
QUILPIE	CHARLE- VILLE	MITCHELL	ROMA	CHIN-	GYMPIE
TOOMPINE	WYANDRA	HOMEBOIN		Zone 56 Agrapa 56	IPSWICH BRISBANE
EULO	CUNNA- MULLA	DIRRAN- BANDI	ST. GEORGE	GOONDI- WINDI	WARWICK TWEED HEADS
YANTA- BULLA	ENNGONIA	ANGLE- DOL	MOREE	INVERELL	GRAFTON MACLEAN

NOTE. The grid reference obtained for any point on this map can be used to locate that same point on any other map of this area showing the Australian Map Grid e.g. topographic maps (metric) recently published by Division of National Mapping, Canberra or Survey Office, Department of Lands, Brisbane.

