

Papaw information kit

Reprint – information current in 2000



REPRINT INFORMATION – PLEASE READ!

For updated information please call 13 25 23 or visit the website www.dpi.qld.gov.au

This publication has been reprinted as a digital book without any changes to the content published in 2000. We advise readers to take particular note of the areas most likely to be out-of-date and so requiring further research:

- Chemical recommendations—check with an agronomist or Infopest www.infopest.qld.gov.au
- Financial information—costs and returns listed in this publication are out of date. Please contact an adviser or industry body to assist with identifying more current figures.
- Varieties—new varieties are likely to be available and some older varieties may no longer be recommended. Check with an agronomist, call the Business Information Centre on 13 25 23, visit our website www.dpi.qld.gov.au or contact the industry body.
- Contacts—many of the contact details may have changed and there could be several new contacts available. The industry organisation may be able to assist you to find the information or services you require.
- Organisation names—most government agencies referred to in this publication have had name changes. Contact the Business Information Centre on 13 25 23 or the industry organisation to find out the current name and contact details for these agencies.
- Additional information—many other sources of information are now available for each crop. Contact an agronomist, Business Information Centre on 13 25 23 or the industry organisation for other suggested reading.

Even with these limitations we believe this information kit provides important and valuable information for intending and existing growers.

This publication was last revised in 2000. The information is not current and the accuracy of the information cannot be guaranteed by the State of Queensland.

This information has been made available to assist users to identify issues involved in the production of mangoes. This information is not to be used or relied upon by users for any purpose which may expose the user or any other person to loss or damage. Users should conduct their own inquiries and rely on their own independent professional advice.

While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained in this publication.



Queensland Government

Problem Solver

HANDY GUIDE

for papaw pests

Handy Guide 1



Agrilink
your growing guide
to better farming

August 2000

Active ingredient: Trade names	Sulphur: DPI Queensland—Board Approval; dust lightly but thoroughly	Petroleum oil: DPI Queensland—Board Approval at 1 L narrow range oil/100 L	Triclorfon: Dipterex 500 SL, Lepidex 500	Dicofol: Kelthane EC Micticide, Miti-Fol EC	Dimethoate: Dimethoate 400, Dimethoate 400 EC, Dimethomax, Perfection EC 400, Rogor, Rogor 400, Romethoate, Saboteur. NRA Open Use Permit 100 mL/100 L dip/flood spray	Endosulfan: Endosulfan 350 EC, Thiodan EC	Endosulfan: DPI Queensland—Board Approval for 0.15 L/100 L (350 g/L product)	Fenthion: Lebaycid	* Dimethoate: Dimethoate, Rogor, Dimethomax, Dimethoate 400 EC, Romethoate, Saboteur. NRA Open Use Permit 1 mL/L flood spray
Withholding period (days)	0	1	2	7	7	14	14	14	P
Banana-spotting bug			✓			✓			
Broad mite				✓					
Cucumber fly					✓				
Cutworms							✓		
Fruit flies								✓	
Fruitspotting bugs			✓			✓			
Oriental scale		✓							
Queensland fruit fly					✓				✓
Two-spotted (red spider) mite	✓								
Yellow peach moth						✓		✓	

P
Indicates postharvest

✓
Indicates that at least one of the trade products is registered for that use. Check the label before use.

*
Some products containing dimethoate have a 7 day withholding period. Check the label before purchase or use.



Problem Solver HANDY GUIDE

for papaw diseases

Handy Guide 1



Agrilink
your growing guide
to better farming

August 2000

Active ingredient: Trade names	Sulphur—dusting/powdered: Dusting sulphur	Sulphur: Dusting sulphur, Sulphur Spray	Copper hydroxide: DPI Queensland—Board Approval for 0.2 kg/100 L (500 g/kg product)	Tebuconazole: Folicur 430 SC	Mancozeb: NRA Open Use Permit at 2 kg/ha (max)	Triadimenol: Bayfidan 250 EC, Tridim 250 EC	Prochloraz: Protak 450 EC, Sportak
Withholding period (days)	NS	0	1	3	7	7	P
Black spot				✓	✓		
Fruit rots/spots			✓				
Leaf diseases and spots			✓				
Powdery mildew	✓	✓				✓	
Anthraxnose							✓
Stem-end rot							✓

NS
Not supplied

P
Indicates postharvest

✓
Indicates that at least one of the trade products is registered for that use. Check the label before use.

